

# Uncertainty over Structured and Intensional Data

**Antoine Amarilli**

Télécom ParisTech, Paris, France

June 4, 2014



# Intensionality, Uncertainty, Structure

- PhD project (supervised by Pierre Senellart)

# Intensionality, Uncertainty, Structure

- PhD project (supervised by Pierre Senellart)
- Answer knowledge acquisition needs over Web data

# Intensionality, Uncertainty, Structure

- PhD project (supervised by Pierre Senellart)
- Answer knowledge acquisition needs over Web data
- Must take into account:

# Intensionality, Uncertainty, Structure

- PhD project (supervised by Pierre Senellart)
- Answer knowledge acquisition needs over Web data
- Must take into account:  
Intensionality. Cannot access all data, fine-grained cost

# Intensionality, Uncertainty, Structure

- PhD project (supervised by Pierre Senellart)
- Answer knowledge acquisition needs over Web data
- Must take into account:
  - Intensionality. Cannot access all data, fine-grained cost
  - Uncertainty. Results may be wrong or imprecise

# Intensionality, Uncertainty, Structure

- PhD project (supervised by Pierre Senellart)
- Answer knowledge acquisition needs over Web data
- Must take into account:
  - Intensionality. Cannot access all data, fine-grained cost
  - Uncertainty. Results may be wrong or imprecise
  - Structure. Relational DBs, XML trees, RDF graphs, etc.

## Zoom: Tractable uncertain data for queries and reasoning

- Relational DB with uncertain facts, **independent probabilities**



## Zoom: Tractable uncertain data for queries and reasoning

- Relational DB with uncertain facts, **independent probabilities**
- CQ evaluation already **#P-hard** in the DB

## Zoom: Tractable uncertain data for queries and reasoning

- Relational DB with uncertain facts, **independent probabilities**
- CQ evaluation already **#P-hard** in the DB
- But what if we restrict the **treewidth**?

## Zoom: Tractable uncertain data for queries and reasoning

- Relational DB with uncertain facts, **independent probabilities**
  - CQ evaluation already **#P-hard** in the DB
  - But what if we restrict the **treewidth**?
- ⇒ CQ evaluation has **linear** data complexity

## Zoom: Tractable uncertain data for queries and reasoning

- Relational DB with uncertain facts, **independent probabilities**
- CQ evaluation already **#P-hard** in the DB
- But what if we restrict the **treewidth**?
- ⇒ CQ evaluation has **linear** data complexity
- ⇒ Can we have tree-decomposition-compatible **correlations**?

## Zoom: Tractable uncertain data for queries and reasoning

- Relational DB with uncertain facts, **independent probabilities**
- CQ evaluation already **#P-hard** in the DB
- But what if we restrict the **treewidth**?
- ⇒ CQ evaluation has **linear** data complexity
- ⇒ Can we have tree-decomposition-compatible **correlations**?
- ⇒ Tractable **reasoning** under uncertain guarded TGDs?